

INSTALLATION INSTRUCTION

**Classic roller blinds,
Comfort GU, VU, S**



Roller
Blinds



Venetian
Blinds



Nets



Gates




Pergolas



Awnings

Classic roller blinds, COMFORT GU, VU, S



The roller blind is a part of the interior, providing the opportunity to adjust the intensity of indoor light.

The COMFORT roller blind set includes a cassette and guides that allow you to control the selected fabric, and the cassette helps keep it clean when rolled up.

Classic roller blinds, COMFORT GU, VU, S





INSTALLATION FOR COMFORT GI, VI TYPES

1. STEP

Unpack the product and determine the mounting location of the roller blind cassette and rails;

2. STEP

Fixing the cassette. Place the cassette on the top of the glass so that the side edges touch the corner where the glazing beads meet. While holding the cassette, fix it with 4 screws (2 on each side) into the pre-drilled holes;




Classic roller blinds, COMFORT GU, VU, S

3. STEP

Installing the guides. First, place the guides on the glazing bead and measure whether the length is correct:

- > The guide rails should cover about 12-16mm of fabric on each side;
- > Once you have determined where the guides will be attached, remove the protective film from the double-sided adhesive tape and, starting from the bottom, press the guide firmly against the glazing bead.;
- > The guide must be located next to the profile so that the edge of the guide is no longer visible when the side cover is later closed.;




PLEASE NOTE! The glass line and window frame to which the guide rails are glued must be thoroughly cleaned and degreased! It is recommended to use white spirit.

Classic roller blinds, COMFORT GU, VU, S


4. STEP

Installing the side covers. After securing the cassette and gluing the guides, install the side covers on both sides;



5. STEP


When installing the roller blind mechanism, make sure that the fabric rollers are placed exactly vertically on the tubes. Place the chain locks on the end of the chain, shorten the chain if necessary;



Classic roller blinds, COMFORT GU, VU, S

6. STEP

Attach the lower chain attachment to the window frame;



7. ŽINGSNIS

Check the roller blind - unroll and roll it up 3 times. When the roller blind reaches the top, bottom and middle positions, stop it.

Classic roller blinds, COMFORT GU, VU, S

INSTALLATION FOR COMFORT GU, VU TYPES



1. STEP

Follow the installation instructions for Comfort GI (1. STEP)

2. STEP

Cassette mounting.

- > Determine the location of the cassette attachment to the window frame;
- > While holding the roller blind, drill holes in the cassette mounting locations and secure the cassette with the cassette riser plate using 4 screws (2 on each side)



Classic roller blinds, COMFORT GU, VU, S

3. STEP

Follow steps 3-7 of the installation instructions for Comfort GI type.

INSTALLATION COMFORT S

1. STEP

Unpack the product and determine the mounting location of the roller shutter cassette and rails;

2. STEP

Mounting the cassette. Follow step 2 of the installation instructions for Comfort GU type.

3. STEP

Follow steps 3-7 of the installation instructions for Comfort GI type.